



MARINE PHYSICAL LABORATORY of the Scripps Institution of Oceanography San Diego, California 92132

EQUATION OF STATE OF PURE WATER AND SEA WATER

F.H. Fisher and O.E. Dial, Jr.

Sponsored by
Office of Naval Research
N00014-69-A-0200-6002
NR 260-103
and
National Science Foundation
DES 70-00094 A04

Reproduction in whole or in part is permitted for any purpose of the U.S. Government

Document cleared for public release and sale; its distribution is unlimited

1 November 1975

SIO REFERENCE 75-28

The Section of Section 1982

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

	READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER 2 GOVT ACCESSION NO	
SIO REFERENCE 75-28	
4 TITLE (and Subsisse)	TYPE OF REPORT A PERIOD COVERED
Times an access where a construction of the co	Summary reptos
EQUATION OF STATE OF PURE WATER AND SEA	64 REREGRIMME ONG. RECORP HUMBER
WATER = = =	14MPL-U-99/67 STO-Ref-
7. Lato B(a)	S. CONTRACT OR GRAD NUMBER(s)
N/C	ONR N00014-69-A-0200-6002
FAH. Fisher and O.E. Dial, Jr.	NSF-DES-70-00094A04
PET ORVING ORGANIZATION NAME AND ADDRESS	10 PHOGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS
University of California, San Diego, Marine Physical Laboratory of the Scripps Institution	
of Oceanography, San Diego, California 92132	
11 CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
locci cu in in include the control of	November 1975
Office of Naval Research, Code 210, Department of the Navy, Arlington, Virginia 22217	13. NUMBER OF PAGES
14 MONITORING AGENCY NAME & ADDRESS(II dillorent from Controlling Office)	15. SECURITY CT ASS (of this export)
	Unclassified
	15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	<u> </u>
Document cleared for public release and sale; its 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different from the sale).	
	\sim
1A CURRI SHENTANY NOTES	Dane C
18. SUPPLEMENTARY NOTES	OFFICE TO STORY
18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number,	DEC TOTAL DE LA COMO D
	Military C
19. KEY WORDS (Continue on reverse side if necessary and identify by block number,	er, pure water.
19. KEY WORDS (Continue on reverse side if necessary and identify by block number, volume, pressure, salinity, temperature, sea wat ABSTRACT (Continue on reverse side if necessary and identify by block number) For representing the PVT properties of pure wate in particular, we have selected the Tumlirz equa	er, pure water. r and solutions, sea water tion
19. KEY WORDS (Continue on reverse side if necessary and identify by block number, volume, pressure, salinity, temperature, sea wat	er, pure water. r and solutions, sea water tion P. P. + K Swb 2 S + P. pressure P, Salinity S and
19. KEY WORDS (Continue on reverse side if necessary and identify by block number, volume, pressure, salinity, temperature, sea wat ABSTRACT (Continue on reverse side if necessary and identify by block number) For representing the PVT properties of pure wate in particular, we have selected the Tumlirz equa	er, pure water. r and solutions, sea water tion

SECUL TO CLASSIFICATION OF - PUB

20. Abstract (Continued)

temperature. For pure water S+O and for sea water V_o, \(\lambda\) and P_O are the pure water values. For pure water we have obtained an analytic function which fits the data of Kell and Whalley to 8 ppm from 0-100 and 15 ppm from 100-150 up to 1000 bars. The calculated density maximum is at 4.00. The form of the equation appears to be useful not only for representing the properties of sea water but for deriving partial molal properties of solutions at low concentrations from high concentration data.

* Vinfinity, gamma and Psubo

xx aprox.

UNIVERSITY OF CALIFORNIA, SAN DIEGO MARINE PHYSICAL LABORATORY OF THE SCRIPPS INSTITUTION OF OCEANOGRAPHY SAN DIEGO, CALIFORNIA 92132

EQUATION OF STATE OF PURE WATER AND SEA WATER

F.H. Fisher and O.E. Dial, Jr.

Sponsored by
Office of Naval Research
N00014-69-A-0200-6002
NR 260-103
and
National Science Foundation
DES 70-00094A04

SIO REFERENCE 75-28

1 November 1975

Reproduction in whole or in part is permitted for any purpose of the U.S. Government

Document cleared for public release and sale; its distribution is unlimited

F. N. SPIESS, DIRECTOR MARINE PHYSICAL LABORATORY

MPL-U-99/67

PREFACE

This work on the equation of state was done initially in 1967. It has led to an equation of state for pure water based on the work of Kell and Whalley. Subsequent work by Millero, including corrections in the data of Kell and Whalley based on his results have yielded a more complex equation of state for pure water and sea water. The results in this report are useful not only in developing an easily differentiated equation of state of sea water suitable for a number of purposes requiring less accuracy than Millero's equation but providing a basis for the representation of the PVT properties of other solvents and solutions containing water such as for dioxane-water mixtures.

F.H. Fisher, October 16, 1975

†F.J. Millero, R.A. Fine and D.P. Wang "The Equation of State of Seawater," J. Mar. Res., 32, pp. 433-456, (1974).

EQUATION OF STATE OF PURE WATER AND SEA WATER

F.H. Fisher and O.E. Dial, Jr.

University of California, San Diego Marine Physical Laboratory of the Scripps Institution of Oceanography San Diego, California 92132

ABSTRACT

For representing the PVT properties of pure water and solutions, sea water in particular, we have selected the Tumlirz equation

$$V = V_{\infty} - K_1 S + \frac{\lambda}{P_0 + K_2 S + P}.$$

where V is the specific volume as a function of pressure P, Salinity S and temperature. For pure water S+0 and for sea water V_{∞} , λ and P_0 are the pure water values. For pure water we have obtained an analytic function which tits the data of Kell and Whalley to~8 ppm from $0-100^{\circ}$ and—15 ppm from $100-150^{\circ}$ up to 1000 bars. The calculated density maximum is at 4.00° . The form of the equation appears to be useful not only for representing the properties of sea water but for deriving partial molal properties of solutions at low concentrations from high concentration data.

INTRODUCTION

The goal of an equation of state of a liquid is to represent PVT data in a simple form and provide insight into the physical properties of the liquid. In particular, an equation of state for a solution such as seawater should reduce to that of the pure solvent as the solute concentration goes to zero. In order to understand the effects of adding solute, the equation of state for the solvent should be established as accurately as possible. In this paper we consider two equations which have been used before to represent electrolyte solution and sea water as well as pure water.

Since Eckart's $\frac{1}{2}$ /review on the equation of state for pure water and sea water, further measurements have been made on both pure water $\frac{3}{2}$, and sea water $\frac{3}{2}$, $\frac{4}{2}$. The high precision specific volume data Kell and Whalley obtained for pure water as a function of temperature and pressure have been particularly useful.

Two equations have been used for fitting specific volume data as a function of pressure, the original Tait equation 9/

$$\frac{\Delta V}{V_1 \Delta P} = \frac{A}{\pi + P} \tag{1}$$

and the usual Tait equation (UTE) as McDonald. denotes it in his recent review on equations of state.

$$V_{p} = V_{1} + C \log \frac{B+1}{B+P}$$
 (2)

The original Tajt equation is equivalent to the Tumlirz equation $\frac{8}{2}$

$$V_{\mathbf{p}} = V_{\infty} + \frac{\lambda}{P_{\mathbf{o}} + P} \tag{3}$$

that Eckart used in his analysis. Non-linear fitting techniques for this equation were developed (see Appendix I) to avoid errors inherent in less direct methods.

We find that Kell and Whalley data can be described to their stated precision by using the Tumiirz equation at low temperatures (0-90°) and the UTE at high temperatures (50-150°). Older pure water data were not sufficiently accurate to select one equation in preference to the other. Since the Tumlirz equation describes the Kell and Whalley data within its stated accuracy over the entire temperature range, we have chosen it as the basis for representing P-V-Tproperties of: are water and sea water. The V_{∞} , λ , and P_0 parameters can be described by simple polynomials of temperature, completing the equation of state for pure water.

The Tumlirz equation was fit to isotherms of Wilson and Bradley and Newton and Kennedy seawater data at constant satinity. While the equation described the data to its precision, the parameters of the equation, V_0 , λ , and P_0 varied erratically with salinit, and temperature. We found that by constraining λ to the same value as for pure water at that temperature, $\frac{1}{100}$ and P_0 become linear functions of salinity. This procedure yields an equation to describe the P-V-T-S properties of seawater, which differs in form from that used by Eckart and Wilson and Bradley.

CALCULATIONS A. Pure Water

For their measurements, Kell and Whalley (20 temperatures up to 150° and 26 pressures from 5 to 1000 bars) claim accuracies which vary from 5 ppm at low temperatures (0-50°) and pressures to 40 ppm at high temperatures and pressures. Although Kell and Whalley—2 published both their experimental and smoothed data, we use their experimental data to avoid any systematic errors introduced by their smoothing procedure.

A computer routine was written to fit equations (2) and (3) to an isotherm of water data. The routine calculated parameter values so as to minimize the quantity,

$$\sigma = \left[\sum_{p} (V_{p} - V_{p}')^{2}/n\right]^{1/2}$$
 (4)

where V'p' is the volume predicted by the given equation at pressure P and the indicated summation is at each pressure along a single isotherm; this quantity is the standard deviation of observed data points about the fitted curve, sometimes called the standard error of estimate. The details of how these calculations were carried out may be found in Appendix I. Tables 1, II, and III show the results of calculations fitting these equations to the data of Amagat 2 and Kell and Whalley2/ and the much higher pressure data of Vedam and Holton 10/. Figure 1 shows the temperature dependence of the various parameters for the Tumlirz equation as determined from the Kell and Whalley data. Figure 2 shows the temperature dependence of the parameters for the UTE aiso fit to the Kell and Whalley data.

TABLE I

Fits of Tumlirz and Usual Tait

Equations to Amagat Data.

T		Tumlirz E	quation	
Temp.,	Pa (hare)	Ther cc/am	V cc/m	~ cc/o.c
iegrees	10 (0413)	Nhar cc/gm x 10 ⁻³	σ cc/giii	v 100
				
0	5812.6	1.7228	0.70379	11
5	6421.1	2.0164	0.6860	27
10	6228 4	1.8584	0.70193	15
15	6322.9	1.8742	0.70449	19
20	6569.9	1.9833	0.69989	23
30	6851.0	2.1026	0.69741	30
40	6888.2	2.1027	0.70244	27
50	6787.1	2.0447	0.71069	25
60	6704.8	2.0126	0.71670	39
70	6189.5	1.7609	0.73802	51
80	5493.9	1.4483	0.76529	19
90	5467.4	1.4262	0.77006	21
100	5357.9	1.4694	0.76901	28
198	3328.4	1.0941	0.82994	91
		Usual T	ait Equation	n
			ait Equation	
	B (bars) (Usual T		σ cc/gm
	B (bars) (
	B (bars) (σ cc/gm
0	B (bars) (σ cc/gm
5		bar cc/gm	V ₁ cc/gn.	σ cc/gm x 10 ⁶
	2697,7	0, 3180	V ₁ cc/gn.	σ cc/gm x 10 ⁶
5	2697.7 3002.2	0, 3180 0, 3392	V ₁ cc/gn.	σ cc/gm × 10 ⁶
5 10	2697.7 3002.2 2893.1	0, 3180 0, 3392 0, 3204	V ₁ cc/gn. 00014 1.00000 1.00026	σ cc/gm x 10 ⁶ 13 29 15
5 10 15	2697.7 3002.2 2893.1 2930.6	0, 3180 0, 3392 0, 3204 0, 3176	V ₁ cc/gn. A. 00014 1. 00000 1. 00026 1. 00086	σ cc/gm x 10 ⁰ 13 29 15 22
5 10 15 20	2697.7 3002.2 2893.1 2930.6 3052.3	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242	V ₁ cc/gn. A. 00014 1. 00000 1. 00026 1. 00086 1. 00174	σ cc/gm x 10 ⁶ 13 29 15 22 24
5 10 15 20 30	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428	σ cc/gm x 10 ⁶ 13 29 15 22 24 27
5 10 15 20 30 40 50	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428 100767	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26
5 10 15 20 30 40 50	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5 3155.1 3109.8 2850.8	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283 0, 3237	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428 100767 101192	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26 23
5 10 15 20 30 40 50 60 '0	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5 3155.1 3109.8	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283 0, 3237 0, 3219	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428 100767 101192 101684	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26 23 34
5 10 15 20 30 40 50 60 '0 8,	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5 3155.1 3109.8 2850.8	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283 0, 3237 0, 3219 0, 3032	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428 100767 101192 101684 102249	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26 23 34 44
5 10 15 20 30 40 50 60 10 8, 90	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5 3155.1 3109.8 2850.8 2509.5 2453.1 2449.8	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283 0, 3237 0, 3219 0, 3032 0, 2789	V ₁ cc/gn. 00014 100000 100026 100086 100174 100428 100767 101192 101684 102249 102889	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26 23 34 44 14
5 10 15 20 30 40 50 60 '0 8,	2697.7 3002.2 2893.1 2930.6 3052.3 3185.1 3205.5 3155.1 3109.8 2850.8 2509.5 2453.1	0, 3180 0, 3392 0, 3204 0, 3176 0, 3242 0, 3298 0, 3283 0, 3237 0, 3219 0, 3032 0, 2789 0, 2812	V ₁ cc/gn. 1.00014 1.00000 1.00026 1.00086 1.00174 1.00428 1.00767 1.01192 1.01684 1.02249 1.02889 1.03574	σ cc/gm x 10 ⁶ 13 29 15 22 24 27 26 23 34 44 14 27

TABLE II

Fit of Tumlirz and Usual Fait Equations to Kell and Whalley Data.

Tomn		Tumlirz E	quation			Usual T	ait Equatio	n
Temp., degr ee s	P _O (bars)	λ har cc/gm x 10 ⁻³	V _∞ cc/gm	σ x 10 ⁶ cc/gm	B bars	C bars cc/gm	V ₁ cc/gm	σ x 10 ⁶ cc/gm
Kell and Whalley								
0.000	5825.80	1.73619	0.702201	4.5	2685.04	0.31773	1.000101	11.9
10.002	6323,46	1.92008	0.696711	6.2	2932.58	0.32553	1.000315	11.9
19, 997	6644.11	2.03391	0.695724	4.6	3091.72	0.32919	1.001808	9. 0
24.998	6722.75	2.05508	0. 69732ა	6.1	3131.12	0,32899	1.002973	10.3
24.998	6723.00	2.05585	0.697262	5.1	3131.51	0.32904	1.002971	9.0
25.005	6729.02	2.05889	0.697041	5.1	3134.15	0.32931	1.002974	9.5
30.112	6773.51	2.06654	0.699357	3.5	3155.79	0.32845	1.004410	6.5
39, 999	6783.43	2.05450	0.705013	4.3	3160.30	0.32605	1.007847	5.3
50,007	6772.43	2.04980	0.709488	4.9	3155.27	0.32584	1.012119	7.8
60.001	6591, 20	1.96582	0.718884	5.0	3064 46	0.32048	1.017097	5, 2
70.003	6433.54	1.90833	0.726164	4.8	2986.09	0.31825	1.022749	5.3
80,003	6189, 63	1.81601	0.735672	6.0	2864. 11	0.31395	1.029029	4.1
90.007	5924.39	1.72028	0.745605	5.8	2732.84	0.30982	1.035939	5.6
100.005	5683.60	1.64577	0.753932	7.8	2612.81	0.30803	1.043459	4.7
110,005	5370,53	1.54927	0.764236	9.1	2467.31	0.30455	1.051602	6.3
110,003	5410.85	1.56000	0.763330	8.5	2477.33	0.30559	1.051600	4.6
120.007	5104.37	1.46075	0.774234	11.9	2324.93	0.30195	1.060370	5.4
130.010	4810.89	1.37208	0.784642	12.5	2179.43	0.29950	1.069803	4, 2
140.009	4544.00	1.29984	0.793891	15.9	2047.01	0.29895	1.079907	5.4
	4249, 49	1.21429	0.805041	19.3	1901.13	0.29686	1.090750	4.7

TABLE III

Fit of Tumlirz and Usual Tait Equations to Vedam and Holton Data.

Temp.,		Tumlirz E	quation			Usual Ta	it Equation	n
degrees	P ₀ bars	λ x 10 ⁻³ bers cc/gm	V _∞ cc/gm	σ x 10 ⁶ cc/gm	B bars	C bars cc/gm	V ₁ cc/gm	σχ 10 ⁶ cc/gm
Vedam								
and								
Holton								
30	8024	2.7583	0.6600	334	2730	0.2927	1.0046	178.0
40	8934	3.2767	0.6398	597	2824	0.2995	1.0082	161.0
50	8956	3.2931	0.6431	599	2833	0.3004	1.0124	156.0
60	9004	3.3443	0.6443	618	2853	0.3037	1.0173	137.0
70	8936	3,3353	0.6480	657	2822	0.3046	1.0228	109.0
80	8760	3.2747	0.6535	718	2742	0.3036	1.0290	81.5




Fig. 1 Temperature dependence for pure water of the parameters P_O, λ and V_Φ for the Tumlirz equation.

From Table I the goodness of fit, ϵ , for the Amagat data shows a rather good uniform—fit. The standard error is about the same as the quality of the data. The two equations fit about equally well so that a superiority of one equation over the other is not demonstrated. These fits do not seem to display any inherent limitations in the applicability of either the Tumlirz or UTE to pure water data.

Fig. 2 Temperature dependence for pure water of the parameters B, C and V₁ for the Usual Tait Equation.

The very accurate data of Kell and Whalley is more revealing. Excellent fits are to the isotherms obtained below 90° with the Tumlirz equation and above 40° with the UTE. In either event, the standard error is about 5 ppm. Figure 3 shows a plot of the standard error at each temperature for the fit of both the proposed equations to Kell and Whalley data.




Fig. 3 Comparison of the standard deviations σ of fits of the Tumlirz equation (left) and the Usual Tait Equation (right) to the Kell and Whalley data.

TABLE IV

Fit of Tumlirz Equation to Pure Water Data at 10°.

Data	P ₍₎ (bers)	λbar cc/gm	V _{oo} cc/gm	σ x 10 ⁶ cc/gm
Amagat (1893) i	6228	1858	0.7019	15
Amagat (1893) II	6570	2038	0.6900	82
Newton & Kennedy	6279	1902	0.6974	22
Kell & Whalley	6323	1920	0.6967	6
Vedam & Holton (low pressure)	6271	1882	0.7002	26
Wilson & Bradley	6215	1853	0.7022	24

As fits were made to data from different investigators, it became apparent that there were large differences in optimum parameter values at the same temperature as illustrated in Table IV with the Tumlirz equation for pure water at 10°. Examination of the Tumlirz equation shows that even small changes in any one parameter would greatly affect the predicted volumes and hence the quality of fit. However, as Tait noted, large changes in one parameter may be made provided compensating changes are made in the other parameters; for example, increasing λ and $P_{_{\mbox{\scriptsize O}}}$ while decreasing V_{∞} would have little effect upon the resulting curve. This is illustrated in Figure 4a (\(\lambda\) vs. Po) and Figure 4b (Po vs. V) where the sloping line is derived from analysis of Kell and Whalley data. The derivation of these compensating relationships is explained in Appendix II.


In comparing the fits to the Kell and Whalley data with equations (2), UTE, and (3), Tutalirz, we see that even though UTE parameter B (Figure 2a) displays a rather smooth behavior, C (Figure 2b) shows an erratic temperature dependence at the higher temperatures. This contrasts with the smooth behavior of the Tumlirz parameters (Figure 1) over the whole temperature region except at 50° . Upon re-examining the σ vs. T dependence for the two equations in Figure 3, we should also note that the precision of fits of the Tumlirz equation vary in second with the errors in accuracy estimated by Kell

and Whalley as a function of temperature. On this basis we select the Tumlirz equation to represent the PVT properties of pure water. In our final calculations we have included Kell's 11/ data for pure water at atmospheric pressure

The Tumlirz equation and the temperature dependence of its parameters are shown in Table V. Comparisons of fits obtained with our equation and that observed by Kell and Whalley are shown in Table VI. It is quite reassuring to note that the density maximum at atmospheric pressure according to our results occurs at 4.00°.

Although McDonald does not consider the Tumlirz equation as a best choice for representing the properties of pure water we believe it provides a good base for an analytic function to represent specific volumes on an absolute basis. In their representations for the PV isotherm data both McDonald and Kell and Whalley normalize their equations to the atmospheric pressure specific volumes. This, of course, makes it easier to include later and more accurate atmospheric pressure data. It also makes calculation of thermodynamic properties, particularly the thermal expansion coefficient, more involved.

The Tumlirz equation for pure water also provides a good basis for representing the properties of sea water as we shall see next.






Fig. 4 Plot of λ and V_{∞} vs. P_0 values obtained at optimum fits of Tumlirz equation to pure water at about 10^0 from various sources. The straight line is the compensating relationship derived from Kell and Whalley data.

Table V

(a) Pure Water, $0 - 100^{\circ}$, 8 ppm and $100 - 150^{\circ}$, 15 ppm fits to Kell and Whalley data (λ in bars cc/gm) P, P₀ in bars and V_∞, V in cc/gm.

$$\lambda = 1,788.316 + 21.55053 \text{ T} - 0.4695911 \text{ T}^2 + 3.096363 \times 10^{-3} \text{ T}^3 - .7341182 \times 10^{-5} \text{ T}^4$$

$$P_0 = 5918.499 + 58.05267 \text{ T} - 1.1253317 \text{ T}^2 + 6.6123869 \times 10^{-3} \text{ T}^3 - 1.4661625 \times 10^{-5} \text{ T}^4$$

$$V_{\infty} = .6980547 - .7435626 \cdot 10^{-3} \text{ T} + .3704258 \times 10^{-4} \text{ T}^2 - .6315724 \times 10^{-6} \text{ T} + .9829576 \times 10^{-8} \text{ T}^4 - .1197269 \times 10^{-9} \text{ T}^5 + .1005461 \times 10^{-11} \text{ T}^6 - .5437898 \times 10^{-14} \text{ T}^7 + .169946 \times 10^{-16} \text{ T}^8 - .2295063 \times 10^{-19} \text{ T}^9$$

B. Sea Water

The most extensive sea water measurements have been made by Wilson and Bradley $^{3,4/}$ and Newton and Kennedy $^{5/}$.

The Wilson and Bradley data is published in two forms: the original experimental data and the smoothed data; the isotherm precision to be \pm 20 ppm in density. With a 22 term parameter equation they obtained a fit with a standard deviation of 80 ppm and with the 10 parameter Tumlirz equation, which they finally chose, they obtained a standard deviation of 130 ppm. Because a Tumlirz equation was used as a part of the smoothed grocedure, the smoothed data cannot be used to test the applicability of the

Table VI

Comparison of Standard Deviations of Fits to Kell and Whalley Data of the Equations of State Kell and Whalley used and the one we use.

	Standard Deviation	x 10 ⁶ (cc/gm)
Temp	Fisher & Dial	Kell & Whalley
0.000	9. 6	4.4
10.002	8.0	10.0
19.997	7.4	7. 9
24. 998	7.0	4.9
24. 998	5, 8	4.6
25.005	5.5	4.3
30.112	6.9	11.1
39, 999	8.3	13.8
50.007	6.7	6.0
60.001	5.6	4.3
70.003	11.2	13.6
80.003	8.4	4.2
90.007	6.7	4.6
100,005	10.2	5.8
110.005	11.8	10.3
120.007	13.2	9.6
130.010	14.3	5.8
140.009	18.5	9. 1
150, 016	22.8	9. 0

Tumlirz equation. The original data occurs at irregular temperature intervals, complicating comparison at different salinities. Consequently we have used polynomial interpolation to provide data at even 50 intervals; it is this interpolated data that will be referred to as the Wilson and Bradley data.


The UTE and Tumlirz equation were used to fit the seawater isotherm data at each salinity. The fits were on the order of 30 ppm for both the UTE and Tumlirz equation; therefore, the Tumlirz equation was selected for further study because the quality of fit does not restrict the selection and provides a better fit to pure water.


Figure 5 shows λ , P_0 and V_∞ vs. salinity at 10^0 from the fits of the Tumlirz equation to Wilson and Bradley, and Newton and Kennedy data. The parameters do not appear to vary in any consistent way with salinity because random parameter variations resulting from imperfect data obscure the systematic variations with salinity.

The sea water data was normalized to pure water by constraining λ to be equal to the value for pure water at the same temperature. The λ values for Kell and Whalley data were polynomial interpolated to the temperatures of the sea water data and least-square fits were made for V_{∞} and P_{0} at each temperature and salinity. Figure 6 shows the results at 10° from which a linear salinity dependence is now evident. A linear variation of P_{0} with salinity is in accordance with Tammann's hypothesis $\frac{12}{}$ which states that internal pressure, the usual interpretation for P_{0} , should increase linearly with salinity. Also, V_{∞} is seen to vary linearly with salinity. Using the linear variations suggested by Figure 6 we may write $\frac{13}{}$:

$$V_{p} = V_{\infty} - K_{1}S + \frac{\lambda}{P_{0} + K_{2}S + P}$$
 (5)

Equation (5) was fit to the Wilson and Bradley data by setting V_{∞} , λ and P_0 equal to the pure water values calculated for the temperatures at which the data was taken; attempts to determine the temperature dependence of K_1 and K_2 were not entirely satisfactory partly because the data were





obtained at varying temperatures. In addition it was found that thermal expansion coefficients calculated from our parameters for equation 5 dld not agree with the recent work of Bradshaw and Schleicher 14/.

While we are able to obtain with our equation fits to the Wilson and Bradley data with standard deviations of about 10^{-4} cc/gm which is comparable to the Fit Wilson and Bradley obtained with their equation (1.3 x 10^{-4}) we feel that is possible to obtain a better equation of state by using sound velocity data to determine K_2 and thermal expansion data to determine K_1 . This has been done in another paper $\frac{15}{2}$.





Fig. 5 Plots of λ , P_0 and V_∞ obtained from optimum fits of Tumlirz equation to sea water data at about 10^0 .

DISCUSSION A. Pure Water

Our calculations have led us to use the Tumlirz equation to represent the properties of pure water. It is rather interesting to note that the value of V_{∞} is very close to the specific volume calculated for the close packed form of water in most theories which treat water in terms of a two state model . Along another line of thought we note that David and Litovitz localculate the temperature dependence of the relaxing and non-relaxing compressibilities for water and find a cross over point in the temperature region near the compressibility minimum at 45° and sound velocity maximum at 72° . In this paper we have seen that a crossover in the precision of fits of the Tumlirz and UTE equations also occurs near the same temperature.

Since the open packed structure (ice-like) predominates at lower temperatures, it is tempting to associate its properties with the Tumlirz equation and the close packed structure with the UTE. We have seen that the UTE equation provides a more precise fit to Kell and Whalley's data at higher temperatures and we also note that the very high pres-






Fig. 6 Plots of P_0 and V_∞ obtained from optimum fits of Tumlirz equation to sea water data of Wilson and Bradley at 10^0 when λ is constrained to be the value for pure water.

sure data of Vedam and Holton 10/ at lower temperatures shows a lower standard deviation when the UTE is used for fitting.

Although the accuracy of the data at higher temperatures and very high pressures is not as good as that of the low temperature Kell and Whalley data, the fact that the UTE provides better a fit at the high temperature and pressures may be significant. Both increasing temperature and pressure

produce a breakdown of the open structure of water. In this sense, the transition from the Tumlirz to the UTE equation appears to be consistent. Using the results of Davis and Litovitz for the fractions of open and closed structure we attempted to fit the Kell and Whalley data with a linear combination of the Tumlirz equation and the UTE. The results so far are inconclusive and we hope to pursue the matter later, based in part on the work of Frank and Quist. 17/

The parameter B in the UTE and P_0 in the Tumlirz equation have been referred to as an internal pressure. Since no experimental data as yet exists on the ultimate tensile strength of water, we cannot ascribe an intermolecular significance to the internal pressure. 18^{\prime} Going back to the two-state model we note that the lower internal pressure values of B would be attributed to the disordered close packed state and the much higher P_0 values to open-packed state. Again this seems to be reasonable from a qualitative viewpoint.

B. Sea Water

Although we have not established the temperature dependence of the parameters K₁ and K₂ to our satisfaction in this paper, we have clearly demonstrated the linear salinity dependence of the corrections to V_{∞} and P_0 as shown in equation 5. This promises to be a very useful equation in that atmospheric pressure data on the density, sound velocity, and heat capacity can be used to determine the high pressure properties of electrolyte solutions. Furthermore, it promises to be useful for determining partial molal properties of solutions at infinite dilution from data at high concentrations. Unfortunately, most data at atmospheric pressure and elevated pressures up to now on solution densities are not accurate or precise enough to do a definite study utilizing equation 5 in this matter. 19/ Experiments are in progress at various laboratories which promise to yield data of the necessary accuracy. It may also be possible to calculate the properties of solutions with more than one solute by additions of their respective values of K1 and K2.

The principal difference in the form of equation 5 from that used by Eckart and Wilson and Bradley is that λ is not a function of salinity. This may be an artificial constraint. More precise solution data will determine the utility of this equation. Yayanos $\frac{18}{}$ has used another equation

$$PV^{4} = A - V/V_{o}$$
 (6)

to analyze his PV isotherms for water and NaCl. In further work we expect to test this equation also.

ACKNOWLEDGMENTS

This work was initiated partly in response to discussions of the equation of state of sea water²⁰/at the meeting of the Joint Panel on Oceanographic Tables and Standards in Berne, 1967. The authors are grateful for the interest and encouragement of C. Eckart, W. Wooster and R. Arthur in this work. We particularly wish to acknowledge the stimulating discussions with Dr. Eckart.

This work was supported by the Office of Naval Research and the National Science Foundation. One of us, F.H. Fisher, wishes to acknowledge the support of UNESCO which made it possible for him to attend the meeting in Berne as a member of the Joint Panel.

APPENDIX I:

COMPUTATIONAL PROCEDURE FOR NONLINEAR, LEAST-SQUARE CURVE FITTING

Nonlinear least-square curve fitting requires the use of iterative approximation to calculate parameters of the curve. We use the fit of the UTE equation (2), to the Kell and Whalley data at 10.002° to illustrate the iteration.

We define σ , the standard error, by equation (4). Least square curve fitting implies the selection of parameters $V_1,\,C,$ and B to minimize σ . Of these, B is nonlinear.

If the value of B in equation (2) were known, we could use conventional, linear least-square fitting to determine V_1 and C and calculate the resulting σ . Table VII shows the results of these calculations for tabulated values of B. It is readily seen that σ smoothly comes to a minimum value near B=2900 bars. The nonlinear, least-square fit is implemented by searching successively smaller

Table VII

Least-Square χ, V_O, and σ from Fit of Tumlirz

Equation to Kell and Whalley Data at 10°C.

Po(bar)	lambda(bar-cc/gm)	Vo(cc/gm)	σ (ppm)
5600	1,530.894	0.727055	60.4
5800	1,634.105	0.718665	42.5
6000	1,740.662	0.710276	26.0
6200	1,850.564	0.701888	11.2
6323.46	* 1,920.082	0.696711	6.2
6400	1,963.813	0.673502	8.4
6600	2,080,406	0.685117	20.7
6800	2,200,346	0.676733	33.7

^{*}optimum value found after continued search

intervals about the optimum value found by the previous search. This search was coded into a computer routine which terminated when the optimum B was localized to +.001 bar.

The fitting procedure for the Tumlirz equation is quite similar. Values of V_o , λ , and σ are calculated for selected values of P_o . A search for the optimum is continued until P_o is localized \pm .001 bar.

By computerizing nonlinear least-square calculations, we are able to obtain the optimum fits. In all cases the standard error is computed to provide a simple, uniform measure of the quality of fit; indeed, the minimization of this quantity is the essence of least-square fitting.

APPENDIX II:

CORRELATED PARAMETER ESTIMATES

Parameter estimates obtained from different sets of data show both random and systematic variations. Experience with the Tumlirz equation has shown that there are large variations in parameter estimates obtained from all but the most precise data. Figure 5 shows that random variations of parameters for seawater data are so large that they obscure any systematic variations with salinity.

By considering different sets of data, we have found that the estimates of the parameters are correlated as shown in Figure 4. Also, any one parameter can be changed without significantly degrading the quality of fit provided that compensating (i.e., the correlated) changes are made in the other parameters. Table V may be considered to tabulate the values of λ and V_{∞} necessary to compensate for variations of P_{O} . Indeed, when the λ vs. P_{O} and V_{∞} vs. P_{O} columns from Table V are plotted in Figure 4 the previously obtained parameter estimates are seen to agree closely.

Similarly correlated parameter estimates occur with the UTE. These correlations explain the success of previous work which constrained the C parameter because B values could then be selected which largely compensated for the non-optimum C values chosen²¹/.

The existence of the compensating relations also provides a rationalization for constraining a parameter of the seawater equation. We know such constraints won't degrade the fit and that the compensating relations will reduce the erratic variations of the remaining parameters. In particular, constraining the λ parameter to its value for pure water at the same temperature produced the linear variations of V_{∞} and P_{0} with salinity which Tamman had suggested.

REFERENCES

- 1. C. Eckart, Am. J. Sci. 256, 225-240 (1958).
- G. S. Kell and E. Whalley, Proc. Roy. Soc. A. 258, 565-614 (1965).
- W. Wilson and D. Bradley, U. S. Naval Ordnance Laboratory, NOLTR 66-103 (1966).
- W. Wilson and D. Bradley, Deep Sea Res. 15, 355-363 (1968).
- M. S. Newton and G. C. Kennedy, J. Mar. Res. 23, 88-103 (1965).
- P. G. Tait, Rept. Sci. Results, Voy. H.M.S. Challenger Phys. Chem. 2, 1-76 (1888).
- J. R. McDonald, Rev. Mod. Phys. 41, 316-349 (1969).
- O. Tumlirz, Wien, Akad. Wissensch., Sitzungsberichte, Math-Naturwiss. K1. 118A, 203, (1909).
- E. H. Amagat, Ann. de Chim. et Phys. 29, 68-136, 505-574 (1893). See N. E. Dorsey, "Properties of Ordinary Water Substance, I. pp. 207-209, II, pp 210-211, Hafner Publishing Co., New York, (1968).
- R. Vedam and G. Holton, J. Acoust. Soc. Am., 43, 108-116 (1968).
- G. S. Kell, J. Chem. Eng. Data 12, 66-69 (1967).

- G. Tamman, (See R. E. Gibson, J. Am. Chem. Soc. <u>56</u>, 4 (1934), or H. S. Harned and B. B. Owen, The Physical Chemistry of Electrolytic Solutions, Third Edition, p. 381, Reinhold Publishing Corporation, New York, (1958).
- 13. F. H. Fisher and O. E. Dial, Jr., J. Acoust Soc. Am. 45, 325 (1969).
- A. Bradshaw and K. Schleicher, Deep Sea Res., 17, 691-706, 1970.
- F. H. Fisher, R. B. Williams, O. E. Dial, SIO Reference 75-30, 1 December 1975.
- C. M. Davis and T. A. Litovitz, J. Chem. Phys. Phys. 42, 2563-2576 (1965).
- 17. H. S. Frank and A. S. Quist 34, 604-611 (1961).
- A. A. Yayanos, J. Appl. Phys. 41, 2259-2260 (1970).
- Based on preliminary results obtained by Prof. B. B. Owen.
- UNESCO Technical Papers in Marine Science, No. 8, Third report of the Joint Panel on Oceanographic Tables and Standards. UNESCO, 1968.
- R. E. Gibson and O. H. Loeffler, J. Am. Chem. Soc. <u>63</u>, 898-906 (1941).

DISTRIBUTION LIST

Chief of Naval Research			
		Assistant Secretary of the Navy	
Department of the Navy		(Research & Development)	
Arlington, Virginia 22217		Department of the Navy	
Code 486	(1)	Washington, D.C. 20350	(1)
Code 480	(1)		
Code 481	(1)		
Code 210	(2)	Commander Operational Test &	
Code 102IP	(1)	Evaluation Force	
Code 1020S	(1)	U.S. Naval Base	
Code A'SD	(1)	Norfolk, Virginia 23511	(1)
Code 220 Code 212	(1)	C	
Code 212	(2)	Commander, Submarine Force	
Director		U.S. Pacific Fleet Fleet Post Office	
Office of Naval Research			(1)
Branch Office		San Francisco, California 96601	(1)
1030 East Green Street		Commander	
Pasadena, California 91101	(1)	Submarine Group FIVE	
,	(-)	Fleet Station Post Office	
Commander		San Diego, California 92132	(1)
Naval Sea Systems Command		oni zaego, dazazetita zazez	(-)
Washington, D.C. 20362		Commander	
Code 03E	(1)	Third Fleet	
Code 034	(1)	U.S. Pacific Fleet, FPO	
Code 036	(1)	San Francisco, California 96610	(1)
Code 06H1	(1)		(-)
Code 06H2	(1)	Commander	
Code 09G3	(1)	Submarine Development Group ONE	
Code 92	(1)	Fleet Post Office	
PMS 395-4 (Mr. J.A. Cestone)	(1)	San Diego, California 92132	(1)
•			
Commander		Commander	
Naval Air Systems Command		Submarine Development Group TWO	
Washington, D.C. 20361	<i>(</i> 4)	Naval Submarine Base-New London	
Code 370	(1)	Groton, Connecticut 06340	(1)
Code 264	(1)		
Chief of Naval Material		Compadon Sunfoco Forms	
Department of the Navy		Commander, Surface Force U.S. Atlantic Fleet	
Washington, D.C. 20360		Norfolk, Virginia 23511	(1)
Code PM-4	(1)	Mollott, Vilginia 25511	(1)
Code 034	(1)	Reprint Custodian	
	(-,	Department of Nautical Science	
Chief of Naval Operations		U.S. Merchant Marine Academy	
CHIEL OF MANAT OPERACTORS			
		· · · · · · · · · · · · · · · · · · ·	(1)
Department of the Navy Washington, D.C. 20350		Kings Point, New York 11024	(1)
Department of the Navy	(1)	· · · · · · · · · · · · · · · · · · ·	(1)
Department of the Navy Washington, D.C. 20350	(1) (1)	Kings Point, New York 11024 Deputy Commander	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03	1.:	Kings Point, New York 11024	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32	(1)	Kings Point, New York 11024 Deputy Commander Operational Test &	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098	(1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23	(1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station	
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095	(1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander	
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967	(1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research &	
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 23 Code Op 967 Oceanographer of the Navy	(1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building	(1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research &	
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building	(1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Developπent Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 23 Code Op 27 Code Op 25 Code Op 267 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40	(1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Developπent Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041	(1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1)	(1) (1) (1) (1) (1) (1)	Code L42	(1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities	(1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities Engineering Command	(1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy	(1) (1) (1) (1) (1) (1)	Rings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360	(1) (1) (1) (1) (1) (1)	Commander Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390 Code 03	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360 Code NSP-20	(1) (1) (1) (1) (1) (1)	Rings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360 Code NSP-20 Director	(1) (1) (1) (1) (1) (1)	Commander Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390 Code 03	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360 Code NSP-20 Director Defense Research & Engineering	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390 Code 03 Code 032C	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 32 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360 Code NSP-20 Director Defense Research & Engineering The Pentagon	(1) (1) (1) (1) (1) (1)	Kings Point, New York 11024 Deputy Commander Operational Test & Evaluation Force, Pacific U.S. Naval Air Station San Diego, California 92135 Commander Naval Ship Research & Development Center Bethesda, Maryland 20084 Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L40 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390 Code 03 Code 032C Commanding Officer	(1) (1) (1) (1)
Department of the Navy Washington, D.C. 20350 Code Op 03 Code Op 03 Code Op 098 Code Op 02 Code Op 095 Code Op 23 Code Op 967 Oceanographer of the Navy The Hoffman Building 200 Stoval Street Alexandria, Virginia 22332 Director Strategic Systems Projects Office (PM-1) Department of the Navy Washington, D.C. 20360 Code NSP-20 Director Defense Research & Engineering The Pentagon Washington, D.C. 20301	(1) (1) (1) (1) (1) (1)	Commander Naval Civil Engineering Laboratory Port Hueneme, California 93041 Code L42 Naval Facilities Engineering Command Washington, D.C. 20390 Code 032C Commanding Officer U.S. Naval Air	(1) (1) (1) (1)

DISTRIBUTION LIST (Continued)

Commander, Naval Electronics		Superintendent	
Laboratory Center		U.S. Naval Postgraduate School	
San Diego, California 92152	(1)	Monterey, California 93940	(1)
		Commander	
Officer in Charge		U.S. Naval Oceanographic Office	
Naval Ship Research &		Washington, D.C. 20373	(1)
Development Center	(1)	Director	
Annapolis, Maryland 21402	(1)	Defense Documentation Center	
		(TIMA), Cameron Station	
Commanding Officer		5010 Duke Street	
Naval Coastal Systems Laboratory		Alexandria, Virginia 22314	(12)
Panama City, Florida 32401	(1)		(,
	(-)	Executive Secretary	
Commander		National Academy of Sciences	
"aval Surface		2101 Constitution Avenue, N.W.	
Combat Systems Center		Washington, D.C. 20418	(1)
White Oak			
Silver Spring, Maryland 20910	(1)	Supreme Allied Commander	
		U.S. Atlantic Fleet	
Systems Analysis Staff		ASW Research Center	
Undersea Warfare Research &		APO	
Development Council, Room 5-224		New York, New York 09019	
Naval Surface Weapons Center		Via: ONR 210	
While Oak	(1)	CNO OPO92D1 Secretariat of Military	
Silver Spring, Maryland 20910	(1)	Information Control	
Officer in Charge		Committee	(1)
Officer in Charge Naval Undersea Research &		Committee	(1)
Development Center		Director of Naval Warfare Analysis	
3203 E. Foothill Boulevard		Institute of Naval Studies	
Pasadena, California 91107	(1)	1401 Wilson Boulevard	
turatina, current reserve	(-)	Arlington, Virginia 22209	(1)
Commander			•
Naval Undersea Center		Institute for Defense Analyses	
San Diego, California 92132	(1)	400 Army-Navy Drive	
		Arlington, Virginia 22202	(1)
Director			
U.S. Naval Research Laboratory		Director	
Washington, D.C. 20375		Woods Hole	
Code 2627	(1)	Oceanographic Institution Woods Hole, Massachusetts 02543	(1)
Code 8000	(1)	Woods note, massachusetts 02545	(1)
Code 8100	(1)	Meterological &	
Commanding Officer		Astrophysical Abstracts	
Naval Underwater Systems Center		301 E. Capitol Street	
Newport, Rhode Island 20844	(1)	Washington, D.C. 20003	(1)
nongrapy recent adapting mounts	\-/	•	. ,
Commanding Officer		Director	
Naval Underwater Systems Center		Applied Physics Laboratory	
New London, Connecticut 0632%		University of Washington	
Code 900	(1)	1013 East 40th Street	
Code 305	(1)	Seattle, Washington 98105	(1)
Code 910	(1)		
Code 930	(1)	National Science Foundation	(**
Code 960	(1)	Washington, D.C. 20550	(1)
Common line Office		Director	
Commanding Officer		Lamont-Doherty	
Naval Training Equipment Center Orlando, Florida 32813		Geological Observatory	
Tech Library	(1)	Torrey Cliff	
iccii bicialj	5.4)	Palisades, New York 10964	(1)
Chief Scientist			,
Navy Underwater		Director	
Sound Reference Division		Applied Research Laboratory	
U.S. Naval Research Laboratory		Pennsylvania State University	
P.O. Box 8337		P.O. Box 30	
Orlando, Florida 32806	(1)	State College, Pennsylvania 16802	(1)

DISTRIBUTION LIS: (Continued)

Director University of Texas Applied Research Laboratory P.O. Box 8029 Austin, Texas 78712	(1)	Commander Naval Electronics Systems Command Washington, D.C. 20360 Co - PME-124 Code 3808	(1) (1)
Director Institute of Ocean Science & Engineering Catholic University of America Washington, D.C. 20017	(1)	Office of Naval Research Resident Representative c/o University of California, San Diego P.O. Box 109 La Jolla, California 92093	(1)
Director Marine Research Laboratories c/o Marine Studies Center University of Wisconsin Madison, Wisconsin 53706	(1)	University of California, San Diego La Jolla, California 92093 MPL Branch Office	(5)

Marine Physical Laboratory MPL-U-99/67	I. Ocean Acoustics	Marine Physical Laboratory MPL-U-99/67	I. Ocean Acoustics
EQUATION OF STATE OF PURE MATER AND SEA WATER by F.H. Fisher and O.E. Dial, Jr., University of Californic, San Diego, Warine Physical Laboratory of Expps Institution of Oceanography, San Diego, California 92132, SIO Reference, 75-28, I November 1975	 F.H. Fisher O.E. Dial, Jr. 	EQUATION OF STATE OF PURE WATER AND SEA MATLR by F.M. Fisher and O.E. Dial, Jr., University of California, San Diego, Marine Physical Laboratory of the Scripps Institution of Oceanography, San Diego, California 92132.	1. F.H. Fisher 2. O.E. Dial, Jr.
For representing the PVI properties of pure water and solutions, sea water in particular, we have selected the Tumlisz equation $V = V_{\rm e} - K_{\rm i} S + \frac{\lambda}{\rho} + K_{\rm i}^2 S + \rho$ where V is the specific volume as a function of pressure P. Salinity S and temperature. For pure water S-O and for sea water $V_{\rm ep}$, λ and $P_{\rm o}$ are the pure water values. For pure water we have obtained an analytic function which fits the data of Kell and Mhalley to \sim 8 ppm from 0-100° and \sim 15 ppm from 100-150° up to 1000 bars. The calculated density maximum is at 4.00°. The form of the equation appears to be useful ont only for representing the	Sponsored by Office of Naval Research NG0014-69-40200-6002 NR 260-103 and National Strence Foundation DES-70-00094A04	or in particular, on a - k ₁ S · p + k ₂ specific volume ty S and temper to a sea water we law the witch fits the di n from 0-100° an	Sponsored by Office of Naval Research N00014-69-A-0200-6002 NR 260-103 and National Science Foundation DRS-70-00394A04
properties of sea water but for deriving partial molal properties of solutions at low concentrations from high concentration data.	UNCLASSIFIED	properties of sea water but for deriving partial molal properties of solutions at low concentrations from high concentration data.	UNCLASSIFIED
Marine Physical Laboratory MPL-U-99/67	I. Ocean Acoustics	Marine Physical Laboratory MPL-U-99/67	I. Ocean Acoustics
EQUATION OF STATE OF PURE WATER AND SEA WATER by F.H. Fisher and O.E. Dial, Jr., University of California, San Diego, Marine Physical Laboratory of Escripps Institution of Oceanography, San Diego, California 92132.	1. F.H. Fisher 2. O.E. Dial, Jr.	EQUATION OF STATL OF PURE WATER AND SIA WATER by F.H. Fisher and O.L. Dial, Jr., University of California, San Diego, Marine Physical Laboratory of the Scripps Institution of Oceanography, San Diego. C'lifornia 92132.	1, F.H. Fisher 2, O.E. Dial, Jr.
For representing the PVT properties of pure water and solutions, sea wathr in particular, we have selected the Tualizz equation $V = V_{\rm en} - K_1 S + \frac{\lambda}{p + K_2 S + p},$ where V is the specific volume as a function of pressure P, Salinity S and temperature. For pure water Se0 and for sea water We, λ and Po are the pure water set. For pure water we have obtained an analytic function which fits the data of Kell and Mailey to ~ 8 pps from 0.100° and ~ 15 ppn from 100° by the calculated density maximum is at 4.00°. The form of the equation appears to be useful not only for representing the properties of sea water but for deriving partial solal properties of sea water but for deriving partial	Sponsored by Office 'f Naval Research MO014-69-4-0200-6002 NR 260-i03 and N'tional Science Foundation DES-70-0094A04	For representing the PVT properties of pure water and solutions, sea water in particular, we have selected the Tumlizz equation $V = V_{0} - K_{1}S + \frac{\lambda}{p + K_{2}S + p},$ where V is the specific volume as a function of pressure P, Salinity S and temperature. For pure water S.O. and for sea water V ₀ A, and Po are the pure water S.O. and for sea water we have obtained an analytic function which fits the dita of Kell and Malley to ~8 ppm from 0.100° and ~15 ppm from 100-150° up to 1000 bars. The calculated density maximum is at 4.00°. The form of the equation we properties of sea water but for deriving the properties of sea water but for deriving apartial and all properties of sea water but for deriving partials.	Sponsored by Uffice of Naval Research N00014-669-A-0200-6002 NR 260-103 and National Science Foundation DES-70-00094A04
	UNCLASSIFIED		**************************************